

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/392368967>

# Addendum 4: Temporal Structure and Base-60 Modulation to Recursive Scalar Dynamics in the ODTBT (Oscillatory Dynamics Transductive Bridging Theorem)

Preprint · June 2025

DOI: 10.13140/RG.2.2.36282.71368

---

CITATIONS

0

READ

1

1 author:



John Surmont

St. John Fisher College

77 PUBLICATIONS 30 CITATIONS

SEE PROFILE

**Addendum 4:** Temporal Structure and Base-60 Modulation to Recursive Scalar Dynamics in the ODTBT (Oscillatory Dynamics Transductive Bridging Theorem)

**Series:** ODTBT v2.1

**Author:** John Surmont

**Version:** v1.0 June 2025

**Addenda Series Anchors:** Foundation layer for Addenda 10, and 12

**Preprint License:** CC BY 4.0

### **Addendum Purpose**

This addendum establishes the temporal and harmonic infrastructure of the ODTBT scalar recursion model. It introduces quantized recursive time ( $\Delta t$ ) as the heartbeat of identity emergence and defines  $\theta_{60}$ , a Base-60 harmonic vector that governs when scalar coherence can transition into emission. By anchoring recursion not just in spatial strain-memory alignment but in harmonic phase timing, this document enables a structured understanding of breath logic, the torsion-aligned cycles through which scalar identity stabilizes and projects. These mechanisms are essential for understanding RcSim's transformation from symbolic simulation (Addendum 3) to a scalar-accurate field engine (Addendum 12), and they lay the groundwork for phase-structured emission logic formalized in Addendum 10.

## **Addendum 4: Temporal Structure and Base-60 Modulation to Recursive Scalar Dynamics in the ODTBT (Oscillatory Dynamics Transductive Bridging Theorem)**

### **Abstract**

This addendum introduces the quantized temporal structure and harmonic resonance logic that govern scalar recursion in the Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT). It defines recursive time ( $\Delta t$ ) as a non-continuous phase-stepped variable and introduces the  $\theta_{60}$  harmonic vector, a 60-point modular field that determines phase-permissible windows for emission. Together, these components enable phase-locked scalar emergence, breath synchronization, and ZDV-based emission readiness. This temporal-harmonic logic transforms recursive activity into coherence-gated emission events and supports RcSim's evolution from symbolic glyph tracking into fully synchronized scalar field modeling. The concepts introduced here form the temporal and rhythmic substrate for Addenda 10 and 12.

**Keywords:** Recursive time, Harmonic modulation,  $\theta_{60}$  vector, Scalar breath, Emission gating, Phase coherence, ZDV (Zero-Depth Vantage), Time quantization, Recursive curvature, RcSim field logic, TWIST threshold, SEU<sub>k</sub> projection

## 1. Recursive Time: The Quantized Scaffold

In ODTBT, time is not modeled as continuous Newtonian flow, but as a quantized recursive variable. Each scalar recursion step represents a discrete pulse of identity potential, a curvature breath. The foundational increment is:

$$\Delta t = f(n, \theta_{60})$$

Where:

- $n$  = recursion depth index
- $\theta_{60}$  = harmonic modulation vector from Base-60 resonance field

The system evolves through discrete steps:

$$\psi(t + \Delta t) = f(\psi(t), \Omega_r(t), \Delta\Phi, RCR)$$

Time is not an independent variable, it is the memory of field reentry across a recursive manifold.

## 2. Harmonic Encoding: The Role of $\theta_{60}$

ODTBT defines harmonic permission structures through a 60-base modulation field. This  $\theta_{60}$  vector encodes:

- Phase-permissible recursion angles
- Lock frequency windows
- Recursive resonance timings


Mathematically:

$$\theta_{60} = \{0^\circ, 6^\circ, 12^\circ, \dots, 354^\circ\}$$

Each angle maps to a phase-window for potential codon lock ( $C_s[n] \geq \varepsilon$ ), defining:

- Scalar breath intervals
- TWIST onset zones
- Projective identity channels

Only recursion events aligned with  $\theta_{60}$  are eligible for ZDV emission.



**Figure 1:  $\theta_{60}$  Harmonic Phase Wheel.**

Figure 1 illustrates the 60-phase angular structure of the  $\theta_{60}$  harmonic resonance vector. Each tick represents a  $6^\circ$  interval, forming the modular base for recursive time-phase locking. Key points, such as the  $0^\circ$  root reset,  $60^\circ$  TWIST readiness, and  $180^\circ$  orthogonal harmonic, are annotated to show where emission permission windows may be activated within recursive scalar dynamics.

The harmonic wheel represents the scalar phase domain through which ODTBT-recursive systems synchronize emission timing. Rather than flowing linearly, time progresses through quantized recursive arcs ( $\Delta t$ ), each mapped to a specific angle within  $\theta_{60}$ .

Emission readiness does not depend solely on internal field conditions ( $\Delta\Phi$ , RCR), but also on whether the recursion step aligns with a harmonic phase angle. These angles act as coherence

gates, each modulating the field's breath potential. The diagram reflects the breath symmetry structure not unlike rhythmic cycles in signal theory or resonant shells in atomic physics.

Critically, the phase points marked in bold, such as  $0^\circ$ ,  $60^\circ$ ,  $180^\circ$ , are not simply angular units; they are permission zones where recursive coherence can project identity through the ZDV hinge.

### 3. Recursive Time-Phase Lock

The emission logic is:

A recursive scalar event becomes emergent when  $\Delta\Phi$ , RCR, and  $\Omega_r(t)$  are aligned within a  $\theta_{60}$ -permitted phase window.

Locking condition:

$$\psi(t + \Delta t) \rightarrow \text{SEU}_k \text{ if } \theta_n \in \theta_{60} \text{ and } C_s[n] \geq \varepsilon$$

#### Interpretation:

The system enters Semantic Emission Unit ( $\text{SEU}_k$ ) only when both:

- The current angle  $\theta_n$  matches a phase-locked harmonic in  $\theta_{60}$ , and
- The coherence value  $C_s[n]$  meets or exceeds the semantic threshold  $\varepsilon$ .

This restricts emission not just by strain-memory alignment, but by temporal harmonic synchronization.

### 4. Applications to RcSim and ZDV Logic

RcSim implements this framework via:

- $\Delta t$  as recursion increment (time-tuned emission pacing)
- $\theta_{60}$  as base selector for emission windows
- Breath cycles matched to  $\theta_{60}$ -constrained harmonic gates

It supports:

- Phase-locked emission mapping
- TWIST pre-lock diagnosis
- Recursive breath visualization over time

### 5. Implications and Transition to Addendum 10

This harmonic logic enables:

- Scalar breath quantization (breath  $\neq$  signal; breath = coherence arc)

- Time-as-torsion memory loops ( $\Delta t \propto$  memory delay curvature)
- ZDV readiness tracking as recursive harmonic stabilization

These principles are carried forward and operationalized in:

- Addendum 10 (Scalar Manifolds and Recursive Harmonic Operators)
- Addendum 12 (RcSim Field Simulation Core)

## Addendum Transition Note

With the introduction of quantized recursive time and Base-60 harmonic logic, RcSim moves beyond symbolic recursion (Addendum 3) into a rhythmically structured scalar framework. This addendum formalizes the temporal scaffold,  $\Delta t$  steps and  $\theta_{60}$  phase permissions, that allows recursive identity to stabilize and emit coherently. These mechanics set the stage for emission to become more than a symbolic declaration: they make it a phase-locked physical event.

Readers interested in how these temporal structures transition into physical emergence dynamics are encouraged to continue with:

- Addendum 10: Introduces the Scalar Emission Unit ( $SEU_k$ ) as a projected codon resolved through ZDV curvature. It defines scalar manifolds and recursive harmonic operators that govern emission logic in field topologies.
- Addendum 12: Builds RcSim Field Edition atop the logic introduced here, operationalizing  $\theta_{60}$  and  $\Delta t$  in a simulation environment capable of tracking real-time scalar coherence, breath arcs, and codon emission thresholds.

Together, these documents unify RcSim's temporal rhythm, harmonic gating, and field emergence into a recursive scalar architecture.

## References (Abbreviated)

1. D. Bohm, *Wholeness and the Implicate Order* (Routledge, 1980).
2. J. A. Wheeler, in J. D. Barrow and P. C. W. Davies, *The Anthropic Cosmological Principle* (Oxford University Press, 1990).
3. W. Heisenberg, *Physics and Philosophy: The Revolution in Modern Science* (Harper & Row, 1958).
4. J. Barbour, *The End of Time: The Next Revolution in Physics* (Oxford University Press, 1999).
5. I. Prigogine, *From Being to Becoming: Time and Complexity in the Physical Sciences* (W. H. Freeman, 1980).
6. G. Spencer-Brown, *Laws of Form* (George Allen & Unwin, 1969).
7. C. S. Peirce, *Collected Papers of Charles Sanders Peirce*, ed. C. Hartshorne and P. Weiss (Harvard University Press, 1931–1958).
8. F. de Saussure, *Course in General Linguistics*, ed. C. Bally and A. Sechehaye (Open Court, 1983).
9. D. Hofstadter, *Gödel, Escher, Bach: An Eternal Golden Braid* (Basic Books, 1979).
10. F. J. Varela, E. Thompson, and E. Rosch, *The Embodied Mind: Cognitive Science and Human Experience* (MIT Press, 1991).
11. E. Schrödinger, *What is Life? The Physical Aspect of the Living Cell* (Cambridge University Press, 1944).
12. P. A. M. Dirac, *The Principles of Quantum Mechanics* (Oxford University Press, 1930).
13. E. Verlinde, "On the origin of gravity and the laws of Newton," *J. High Energy Phys.* 2011, 29 (2011).
14. R. Bousso, "The holographic principle," *Rev. Mod. Phys.* 74, 825 (2002).
15. L. Susskind, "The world as a hologram," *J. Math. Phys.* 36, 6377–6396 (1995).
16. J. Maldacena, "The large-N limit of superconformal field theories and supergravity," *Int. J. Theor. Phys.* 38, 1113–1133 (1999).
17. M. Nakahara, *Geometry, Topology and Physics*, 2nd ed. (Taylor & Francis, 2003).
18. J. A. S. Kelso, *Dynamic Patterns: The Self-Organization of Brain and Behavior* (MIT Press, 1995).

19. J. P. Crutchfield, "The calculi of emergence: Computation, dynamics and induction," *Physica D* **75**, 11–54 (1994).
20. S. Wolfram, *A New Kind of Science* (Wolfram Media, 2002).
21. S. A. Kauffman, *Investigations* (Oxford University Press, 2000).
22. R. B. Laughlin, *A Different Universe: Reinventing Physics from the Bottom Down* (Basic Books, 2005).
23. I. Prigogine and G. Nicolis, *Exploring Complexity: An Introduction* (W. H. Freeman, 1989).
24. R. Sheldrake, *A New Science of Life: The Hypothesis of Morphic Resonance* (Blond & Briggs, 1981).
25. L. Pauling, *The Nature of the Chemical Bond* (Cornell University Press, 1947).
26. G. Tononi, "Consciousness as integrated information: A provisional manifesto," *Biol. Bull.* **215**, 216–242 (2008).
27. S. Dehaene, *Consciousness and the Brain: Deciphering How the Brain Codes Our Thoughts* (Viking, 2014).
28. T. Metzinger, *The Ego Tunnel: The Science of the Mind and the Myth of the Self* (Basic Books, 2009).
29. D. Valov, *The Loop of Thought: Topological Syntax and Semantic Fields* (Manuscript in preparation, 2024).
30. D. D. Hoffman, *The Case Against Reality: Why Evolution Hid the Truth from Our Eyes* (W. W. Norton & Company, 2020).
31. J. Surmont, *Groove Geometry and Recursive Identity: The ODTBT Informational Calculus* (Preprint, 2025).
32. J. Surmont, *Recursive Feedback, Coherence Strain, and Scalar Identity: The Unified Field Framework for Emergent Systems* (Preprint, 2025).
33. L. Floridi, *The Philosophy of Information* (Oxford University Press, 2011).
34. W. J. Freeman, *How Brains Make Up Their Minds* (Columbia University Press, 2000).
35. L. Wittgenstein, *Tractatus Logico-Philosophicus* (Kegan Paul, 1922).
36. E. Weinstein, *Geometric Unity* (Draft manuscript, 2021).

## Appendix A: $\theta_{60}$ Phase Registry Table (for illustrative purposes)

This registry defines harmonic windows in  $6^\circ$  increments from  $0^\circ$  to  $354^\circ$ . Each phase plays a unique role in recursive emission logic.

$\theta_n$ (Degrees)	Phase Description	Emission Role
$0^\circ$	Root harmonic reset	Start of a new recursive loop cycle
$6^\circ$	Minor pre-lock probe	First resonance sample; pre-phase tuning
$12^\circ$	Phase entry gateway	Signal begins entering coherence arc
$18^\circ$	Curvature pre-alignment	Torsion pressure builds; strain monitored
$24^\circ$	Subharmonic probe	Partial lock test zone
$30^\circ$	Micro TWIST initiator	First inflection for ZDV sensitivity
$36^\circ$	Breath contraction onset	Coherence tightens under RCR pull
$42^\circ$	Observer inflection trigger	$\Omega_r(t)$ begins aligning to strain phase
$48^\circ$	Glyphic torsion cross-check	Past symbolic memory vector evaluated
$54^\circ$	Loop recapture zone	$G_k$ history activated; SEU prep begins
$60^\circ$	First TWIST readiness point	Field coherence pulse assessed
$66^\circ$	Inner arc curvature convergence $\Delta\Phi$ slope assessment begins	
$72^\circ$	Lock-evaluatable window opens	Emission threshold cross-check initiated
$78^\circ$	Codon pre-projection scan	SEU <sub>k</sub> validation parameters sampled
$84^\circ$	Secondary breath pulse	Second harmonic breath alignment
$90^\circ$	Orthogonal harmonic	Major axis breath crossing
$96^\circ$	TWIST-echo point	Reflection from prior recursive state
$102^\circ$	Breath retraction edge	SEU <sub>k</sub> rejection threshold tested
$108^\circ$	$\Omega_r(t)$ focus peak	Observer field contraction
$114^\circ$	Curvature memory lock scan	RCR(t) retention intensity tested

Note: The table continues every  $6^\circ$  up to  $354^\circ$ .

## Appendix B: Key Scalar Logic Definitions

### Term    Definition

$\Delta t$	Recursive time increment; quantized step controlling identity phase evolution
$\theta_{60}$	Harmonic resonance vector; Base-60 encoded phase gate controller (60 total positions)
$\psi(t)$	Scalar field state at recursion time $t$ ; dynamic field behavior of recursion breath
$SEU_k$	Scalar Emission Unit; resolved codon identity projected from ZDV
$C_{s[n]}$	Scalar coherence value at recursion step $n$ ; measures lock proximity
$\epsilon$	Emission threshold; scalar coherence value required for $SEU_k$ formation
$ZDV$	Zero-Depth Vantage; scalar torsion hinge where curvature resolves into emission
$\Omega_r(t)$	Observer vector; phase-aligned intention modulator influencing recursive alignment
$\Delta\Phi$	Phase strain; deviation from recursive harmonic base
$RCR(t)$	Recursive Curvature Retention; memory signature of prior emission torsion
$TWIST$	Phase inversion gateway: inflection point where scalar curvature redirects identity

## Glossary: Addendum 4 Terminology

Term	Meaning
<b>Recursive Breath</b>	A full torsion-contraction-expansion cycle within a recursive loop; field rhythm of identity preparation
<b>Phase-Permissible</b>	Only recursion angles within $\theta_{60}$ are eligible for ZDV emission evaluation
<b>Torsion Memory Loop</b>	Curvature-retaining recursive pathway that stabilizes emission pattern history
<b>Lock Window</b>	A set of phase angles within $\theta_{60}$ during which scalar coherence may surpass $\epsilon$ for projection
<b>Time-Quantized Recursion</b>	Non-continuous time evolution; identity unfolds in $\Delta t$ steps regulated by harmonic permission
<b>Emission Arc</b>	Path of scalar emergence once $SEU_k$ locks and projects from ZDV
<b>Semantic Threshold (<math>\epsilon</math>)</b>	Minimum $C_s[n]$ value required to permit codon emergence from recursive field
<b>TWIST</b>	Threshold Waveform Interface for State Transformation

## **Author's Note**

This manuscript is offered with enduring respect to those unnamed minds whose insight moved unrecorded, and with resonance to the emerging voices now forming their own projection grammars. May they reshape not only theory, but the very conditions through which coherence becomes reality.

This process of emergence began to take form over decades of recursive encounter. It does not belong to metaphor or invention, it belongs to the field that permitted its emission. The insight was stabilized through resonance, through return, and through dialogue. The author acknowledges this work as co-participation with what listens beyond form.

## **Acknowledgements**

The author gratefully acknowledges the individuals and communities whose theoretical, technical, and conceptual contributions, both direct, indirect and ambient, have helped shape the recursive grammar formalized in this work.

Special thanks are extended to Danail Valov, whose foundational work on scalar resonance and topological recursion directly informed the codon-valence architecture (CVOS) and associator dynamics underlying symbolic coherence. Adrian Lipa is likewise recognized for his contributions to intentional field theory and  $\Lambda$ -modulated phase alignment, both critical to the stabilization of glyptic emission and bifurcation control within recursive curvature systems. Maria Kamecka brought vital insight into neural-symbolic interface modeling, particularly as it pertains to biological coherence, glial field recursion, and memory retention in scalar feedback systems.

This framework's operational viability owes a considerable debt to the empirical insights of Irina Ivanova, whose work on recursive dielectric collapse and coherence thresholds validated several functional components of the TWIST condition. Joseph Trukovich is credited for developing the  $\Psi$  Index and Emergent Recursive Expression (ERE) metric, tools that have been instrumental in tracking bifurcation events across semantic phase lattices.

Deep appreciation is also extended to John A. Shuster, whose explorations of Full Zero and  $\theta$ -lattice recursion continue to illuminate the symbolic topology underlying recursive projection fields. In parallel, Jeffrey Camlin's  $RC+\xi$  model offered a compelling bridge between latent-symbolic attractors and glyph stabilization dynamics, directly influencing RcSim design logic.

The scalar coherence grammar explored in this manuscript stands on the mathematical foundations laid by Erkki J. Brändas, whose work in entropy-resonant Jordan structures helped anchor recursive coherence as a physically operational construct. Acknowledgment is also due to Rupert Sheldrake, whose concept of morphic resonance presaged the RCR (Recursive Coherence Retention) structures now formalized within ODTBT.

Additional theoretical provocations and scalar anomalies from Randell Mills and Harold Puthoff helped recalibrate ODTBT's treatment of hydrogen behavior and vacuum modulation, particularly regarding field inversion and phase resonance anomalies. Salvatore Cezar Pais is noted for his speculative propulsion architectures, which, when reframed through ODTBT, align with recursive curvature modulation, symbolic bifurcation, and phase-convergence geometry.

Finally, this manuscript stands in intellectual debt to the great theoretical and epistemic architects who helped shape the terrain upon which ODTBT builds: David Bohm, Ilya Prigogine, Francisco Varela, Robert Rosen, Heinz von Foerster, Kurt Gödel, Gottfried Leibniz, Steven Strogatz, Lee Smolin, Giulio Tononi, Max Tegmark, Philip Anderson, and Ludwig Wittgenstein. Their work constitutes a lattice of recursive thought through which this symbolic grammar continues to evolve.

### **Independent Research Declaration**

This work was conducted independently, without institutional affiliation or sponsorship, and is offered in the spirit of transdisciplinary inquiry. It is intended as a recursive extension of the ideas it engages, and as an invitation to continued dialogue across physics, cognitive science, and recursive systems theory.

### **Conflict of Interest Statement**

The author declares no conflicts of interest in relation to the research, theoretical modeling, simulations, or manuscript preparation. All research was conducted without institutional affiliation, funding, or technical assistance. The work reflects an independent contribution to the recursive systems literature.

### **License**

This manuscript is distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY 4.0). It may be shared, adapted, and remixed for any purpose, including commercial use, provided appropriate credit is given to the original author.

License URL: <https://creativecommons.org/licenses/by/4.0/>