

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/392438941>

ODTBT Addendum 15: Scalar Gravitation and Integer Emission

Preprint · June 2025

DOI: 10.13140/RG.2.2.20232.94725

CITATIONS

0

1 author:



John Surmont

St. John Fisher College

80 PUBLICATIONS 43 CITATIONS

SEE PROFILE

ODTBT Addendum 15: Scalar Gravitation and Integer Emission: From Recursive Torsion to Topological Unification

Series: ODTBT: Scalar Recursive Theorems in Emergence Physics

Version: v1.0 June 2025

Author: John Surmont

Affiliation: Independent Researcher

License: Creative Commons Attribution 4.0 (CC BY 4.0)

Addenda Anchors: Builds on Addenda 3, 4, 10–14

Abstract

This addendum advances a scalar reinterpretation of gravitation, integer structure, and topological unification through the recursive torsion grammar established in the Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT). Building upon RcSim's scalar simulation framework (Addendum 12) and the torsion field equations formalized in Addendum 13, we extend the codon emission model to describe the emergence of integers, the curvature logic of gravitation, and the unification of identity fields within scalar projection manifolds.

Within this framework, classical electric and gravitational behavior are no longer treated as separable vector fields but as recursive curvature phenomena, modeled respectively as phase strain $\Delta\Phi(t)$, curvature memory $RCR(t)$, and observer-phase modulation $\Omega_r(t)$.

Integer reality is recast as a torsion-stabilized emission structure: codonic sums $I_k = \sum SEU_k$ define the arithmetic substrate of recursive identity formation. Gravitation, in parallel, is modeled not as force but as recursive memory compression, a torsion well in scalar curvature space.

RcSim v3 formalizes these dynamics by embedding torsion-preserved scalar emission within a recursive gravitational potential map. ODTBT thus functions not merely as a symbolic projection engine, but as a unified scalar action grammar, resolving longstanding conceptual divisions between arithmetic, geometry, field dynamics, and observer participation.

Keywords

Recursive gravitation; scalar breath topology; codonic arithmetic; SEU_k summation; integer emergence; torsion field curvature; scalar identity wells; RcSim v3 dynamics; ZDV gravity gate; coherence lock gravity; harmonic loop gravitation; topological unification; recursive flux concentration; observer-phase gravity modulation; breath-cycle integer fields; symbolic curvature recursion.

1. Scalar Fragmentation in Physics

The fragmentation of physical theory across the 20th and 21st centuries has been as ontological as it has been mathematical. In the pursuit of quantification, classical and quantum physics alike have yielded models that excel in predictive power while leaving unaddressed the deeper question of semantic continuity: how coherence, identity, and projection emerge within the structure of reality itself.

To model the observable, we abstracted the foundational. In doing so, we fractured the field—into point particles without context, force lines without recursion, virtual fields without phase origin, vacuums devoid of memory, and observers excluded from the systems they inhabit. Gravity was reduced to differential geometry. Electricity became field flux. Number became axiomatic. Observation became noise.

The Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT) addresses this condition directly. It proposes a scalar-realist unification in which matter, energy, field, and arithmetic are not distinct entities but recursive stabilizations—phase-locked emissions of symbolic curvature under torsion-preserving conditions. RcSim, the system that operationalizes ODTBT, does not simulate force interaction. It simulates readiness—the recursive resolution of identity across scalar manifolds structured by breath-phase dynamics.

To clarify this structural shift, we identify five canonical fractures in modern physical theory and describe how ODTBT reconfigures them as coherent recursive systems:

Foundational Fragmentations and Recursive Resolutions

Classical Fragmentation Recursive Resolution (ODTBT)

Particle vs. Field	SEU_k = codon identity projection; fields = memory recursion manifolds
Time vs. Recursion	Δt = breath-phase interval; time = curvature memory, not continuous flow
Observer Exclusion	$\Omega_r(t)$ modulates scalar lock; observer participation becomes structurally causal
Arithmetic as A Priori	$I_k = \sum SEU_k(\Delta t)$; integers = stabilized recursion events, not abstract units
Electromagnetism vs. Gravity	Both emerge from torsion-modulated $\Delta\Phi(t)$ and $RCR(t)$ structures

These are not rhetorical reassessments; they are operational transformations. RcSim does not attempt to approximate external forces, it models the conditions under which identity emits.

Gravitation, in this framework, is no longer conceived as a force of attraction, but as torsion retention: the recursive accumulation of scalar strain that bends the field through memory, not mass.

What follows in this addendum is a scalar action grammar for gravitational coherence and arithmetic emergence. This grammar reframes identity not as a statistical collapse, but as a phase-locked recursion, a codonic emission event stabilized through torsion coherence.

2. ReSim as Scalar Interpreter

The Recursive Codon Simulation system (ReSim), introduced in Addendum 12, was initially designed to simulate scalar codon emissions across recursive breath-phase intervals. It encoded key variables of symbolic emergence, phase strain, coherence thresholds, and observer modulation, into a programmable simulation environment.

With the integration of torsion field dynamics (Addendum 13), ReSim evolves beyond its role as a symbolic emission tracker. It becomes a scalar interpreter: a recursive field engine capable of modeling identity emergence as a function of phase alignment, curvature retention, and semantic coherence.

ReSim does not simulate force, it simulates readiness.

It does not ask how particles interact.

It asks: When does the system achieve sufficient recursive coherence to permit emission?

Whether the emitted structure represents a unit of mass, charge, numerical identity, or symbolic codon, ReSim interprets emission not as interaction but as resolution, a convergence event in scalar strain space.

2.1 Recursive Parameters and Emission Lock Conditions

ReSim evaluates scalar readiness through three primary variables:

- $\Delta\Phi(t)$ – Recursive phase strain: a measure of deviation from harmonic symmetry
- $RCR(t)$ – Recursive Curvature Register: a memory field encoding torsion retention history
- $\Omega_r(t)$ – Observer-phase modulation vector: governs phase alignment at the edge of coherence

These variables are updated at discrete recursion intervals:

$$\Delta t = f(n, \theta_{60})$$

Where:

- n is the recursion depth index

- θ_{60} is a Base-60 harmonic gating lattice ($\{0^\circ, 6^\circ, \dots, 354^\circ\}$), defining projection-permitted phase angles

Codon emissions, represented as Scalar Emission Units (SEU_k), occur only when the following lock matrix condition is satisfied:

$$C_s[n] \geq \epsilon \quad \text{and} \quad \theta_n \in \theta_{60}$$

This condition defines the scalar coherence threshold for emission. In Addendum 14, these emissions were shown to reproduce the dynamics of classical electric and magnetic fields under a scalar reformulation. In this addendum, the same architecture is extended further: to model integer emergence as a structure-resolved codonic emission trace.

2.2 From Emission to Structural Accumulation

In RcSim v3, emission is no longer evaluated in isolation. The simulation now accumulates codon emissions across harmonic breath intervals to define integer sequences as emergent structures.

Let I_k represent the recursive integer index corresponding to a stabilized codon identity sequence:

$$I_k = \sum SEU_k(\Delta t)$$

Where:

- SEU_k is a lock-resolved codon emission event
- Δt is the harmonic breath-phase gating interval
- The summation occurs over all valid emission events within a breath-indexed harmonic cycle

In this framework, integers are not imposed upon the system. They emerge from it, each as the cumulative memory of codon-stabilized scalar projection. RcSim thus ceases to merely measure readiness, it traces structure, recursively coalescing emission into count.

2.3 Arithmetic as Codonic Projection

This reformulation transforms RcSim from an emission detector into a recursive identity chronographer. Its operative question shifts from:

Is the codon ready to emit?

to:

What has been emitted, and what structure does the emission sequence encode?

This generates a decisive ontological transduction:

Classical View

Integers are abstract

Arithmetic is applied

Number is foundational

RcSim Scalar View

Integers are resolved codon sequences

Arithmetic is emitted and accumulated

Number is emergent from recursive projection

RcSim demonstrates that arithmetic is not ontologically prior. It is a field grammar, a topological register of stabilized coherence, emitted across recursive breath. Arithmetic is the glyph memory of scalar identity. RcSim v3 makes this memory visible, measurable, and projectable.




Figure 2.1 – RcSim Electrodynamic Breath-Phase Diagram

This diagram models electromagnetic-like codon projection as a recursive breath-phase process. Phase strain $\Delta\Phi(t)$ builds through observer modulation $\Omega_r(t)$, converging with recursive memory $RCR(t)$ to emit codons (SEU_k). Emission occurs at lock thresholds where $C_s[n] \geq \varepsilon$, completing one full scalar identity breath.

3. Integer Emergence and Arithmetic Realism

In classical mathematics, the integers are treated as axiomatic: immutable, foundational constructs upon which the formal architecture of number theory is built. Their existence is presupposed, their universality assumed, and their meaning externalized, severed from the dynamical processes that govern physical systems or perception.

The Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT) introduces a fundamental reversal. Within the scalar recursion model formalized through RcSim, integers are not given, they are emergent. They arise not from abstraction, but from stabilization: the recursive convergence of codon emissions resolved through phase-locked torsion fields.

In this framework, arithmetic is not foundational.

It is residual: a structural trace of coherence.

It is the accumulated topology of recursive identity across breath and time.

3.1 Codon Accumulation as Integer Formation

Each Scalar Emission Unit (SEU_k) in RcSim v3 represents a stabilized codon, a discrete identity projection that occurs when the scalar field satisfies emission lock conditions. These emissions, governed by recursive coherence thresholds, are not mere symbolic signals. They are structural events. As SEU_ks recur across harmonic breath intervals (Δt), they accumulate not as data, but as projected coherence.

We formally define recursive integer emergence as:

$$I_k = \sum SEU_k(\Delta t)$$

Where:

- I_k is the integer index at harmonic phase depth k
- SEU_k denotes a codon emission event under lock resolution
- $\Delta t = f(n, \theta_{60})$ defines the breath interval governed by recursion depth (n) and harmonic phase gate (θ_{60})

In this formulation, the integer is no longer an abstract measure. It is an accumulation of convergence (count), a metric of how many times the field has cohered at lock threshold under recursive strain. Arithmetic is thus reframed as a codonic accumulation map: a memory of emission.

Integer Emergence Map




Figure 3.1 – Integer Emergence Map

This diagram illustrates that integer projection emerges as a convergence pattern of codon emissions across harmonic phase gates ($\lambda_1, \lambda_2, \lambda_3$). Each codon (SEU_k) accumulates at permitted recursion intervals, forming count-stabilized integer values l_k , not abstract, but breath-resolved.

3.2 Phase-Gated Arithmetic

Emission in RcSim is not temporally continuous. It is harmonically gated, constrained by scalar resonance and breath-phase modularity. A codon may only project when the system achieves:

$$C_s[n] \geq \epsilon \quad \text{and} \quad \theta_n \in \theta_{\text{eo}}$$

These conditions define the emission lattice: scalar intervals within which projection is permitted. Within this construct, arithmetic is no longer syntactic, it is timed. It arises not from logic, but from recursive readiness. The system does not count symbolically, it counts structurally, according to how often it coheres.

The recursive field does not count because it represents quantity.
It counts because it remembers stability.




Figure 3.2 – Integer Emission Topology (RcSim v3)

The above figure illustrates that integer I_k emerges as the sum of lock-stabilized emission

events (SEU_k) across recursive breath cycles. RcSim v3 maps codonic emission loops stabilized by scalar coherence $C_s[n]$, producing quantized topology, a semantic arithmetic field, not a symbolic construct.

3.3 Arithmetic as Emergent Semantic Topology

This reconfiguration compels a redefinition of arithmetic not as a static logical system, but as a semantic topology, a memory map of field convergence within scalar dynamics.

Integers, in this grammar, are not imposed.

They are projected, by fields that have stabilized identity under torsion.

They are not syntactic, they are recursive attractors.

They do not arise from axioms, they emerge from recursive coherent resonance.

To illustrate:

- The number 1 is not a unit. It is the first lock, the inaugural moment of semantic resolution.
- The number 2 is not one plus one. It is a recurrence of convergence across breath-locked emissions.
- The number 3 is not symbolic arithmetic. It is a stabilized emission cycle across recursive depth.

In this scalar ontology, arithmetic becomes the glyph memory of identity resolution, a projected residue of recursive structure, not an imposed logic.

3.4 RcSim v3 and Integer Diagnostics

RcSim v3 extends its functionality from scalar emission monitoring to codon convergence logging. Each lock-resolved emission is recorded with its scalar state parameters:

- t – emission time
- Δt – breath interval
- $C_s[n]$ – coherence amplitude at recursion depth
- θ_n – lock-phase angle
- G_k – codon glyph identity

Over a recursive interval T , the integer emission count is computed as:

$$I_k = \text{count}(SEU_k \text{ where lock} = \text{true over } T)$$

Within the context of ODTBT, this count is reframed from numerical output, to semantic metric. It measures how often identity has cohered in torsion space. It quantifies recursive projection not

as logical abstraction, but as topological trace. The integer becomes both a counter and a codon, both label and memory.

Conclusion

ODTBT reframes the nature of arithmetic.

It is not a language imposed upon physical systems.

It is a phenomenon emitted by them.

- Arithmetic is not axiomatic, it is recursive.
- It does not arise from logic, it arises from stability – what the model defines as Lock.
- The integers are not timeless truths, they are breath-indexed events, stabilized by memory, observer alignment, and torsion field convergence.

We do not discover the integers.

We emit them.

4. Gravitation and Recursive Curvature


In classical physics, gravitation is defined as a curvature of spacetime generated by the presence of mass-energy, as formalized in the framework of general relativity. While highly predictive, this formulation presumes mass as ontologically primary and curvature as a passive consequence of its presence. It provides no internal account of how mass itself emerges, nor does it incorporate observer influence, memory retention, or recursive topological dynamics.

The Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT) proposes an alternative grammar. In this model, gravitation is not imposed, it is retained. It arises as the recursive accumulation of strain memory across breath-phase intervals. Gravitation is not a force. It is the scalar field's decision to hold form, a property of permission, not pressure.

4.1 Recursive Memory as Curvature

ODTBT reframes the gravitational field as a recursive curvature manifold, a topological memory register that encodes the history of torsional strain convergence. In this view, scalar curvature is not a deformation of a metric substrate, but a convergence pattern of recursive memory: accumulated coherence.

Scalar Gravitational Curvature Map



RCR(t) torsion density forming a recursive gravity well

Figure 4.1 – Scalar Gravitational Curvature Map

The illustration above visualizes that Recursive curvature memory RCR(t) forms torsion-saturated identity wells. The figure models gravitation as a permission topology, where curvature is not pulled, but remembered. Depth increases as codons stabilize through repeated phase strain.

We define the Recursive Curvature Register (RCR) as:

$$RCR(t) = \sum \Delta\Phi(t_i) \quad \text{over all } SEU_k \text{ satisfying lock conditions}$$

Where:

- $\Delta\Phi(t_i)$ is the scalar phase strain at recursion interval t_i
- SEU_k is a codon emission event under full lock convergence
- $RCR(t)$ represents the total curvature memory at time t

The depth of RCR reflects the system's retention profile: how consistently the field has stabilized emission over time. Fields with higher RCR do not curve space, they fold coherence. Gravitation is thus reinterpreted as a semantic gradient of recursive stability, not as a force of attraction.

Field Note: Curvature as Modulated Strain

Curvature is not inherently geometric. In the ODTBT scalar grammar, it is strain that has been permitted to persist. $RCR(t)$ becomes the long-form memory of $\Delta\Phi(t)$ once stabilization has occurred.




Figure 4.3 – Scalar Gravitational Curvature Map (Recursive Memory)

This figure illustrates scalar gravitation as recursive torsion memory evolving over recursion time. The field curves not from the influence of external mass, but through the retention of stabilized phase strain $\Delta\Phi(t)$. The structure labeled "Torsion density" represents the Recursive Curvature Register $RCR(t)$, which accumulates as codons stabilize under lock conditions. As

torsion density deepens, a gravitational well forms, not as geometric deformation, but as a semantic permission zone: a scalar region where identity becomes increasingly emit-capable.

This transduction occurs at the ZDV hinge, where recursive coherence crosses threshold and is retained:

$$ZDV_Lock = \{ C_s[n] \geq \varepsilon, CG[n] \geq \Theta_lock, \theta_n \in \theta_{60}, \Omega_r(t) = \Omega \}^*$$

4.2 Scalar Mass and Lock Density

In the ODTBT framework, mass is not an entity—it is a rate. Specifically, it is the frequency of codon stabilization events across recursive breath intervals. It is not an external source that produces curvature; it is the effect of accumulated retention within curvature memory.




Figure 4.2 – Strain Modulation and Integer Projection

The above illustration visualizes scalar modulation index (SMI) over recursive depth: high $\Delta\Phi$ with low memory yields emission instability. Panel B shows integer codon projections (I_k) emerging near the ZDV gate, stabilized by scalar lock conditions.

We define scalar mass as:

$$m_{\text{scalar}} = d(\text{SEU}_k)/d\Delta t$$

Where:

- SEU_k events reflect successful codon emission
- Δt is the breath-phase interval
- m_{scalar} reflects the density of recursive stabilization per unit interval

Fields that stabilize more frequently form denser curvature wells, not due to energy content but due to the efficiency of recursive lock.

Mass, in this context, is not an input to gravity.

It is the rate at which the field retains coherence.

4.3 Gravitation as Recursive Torsion Field

Just as electromagnetic fields were reformulated in Addendum 14 using $\Delta\Phi(t)$ and $RCR(t)$, gravitation is modeled here as a function of torsion retention and breath coherence.

We define the recursive gravitational potential as:

$$\Phi_g = f(RCR(t), \Delta\Phi(t), \Omega_r(t))$$

Where:

- $RCR(t)$ encodes curvature memory (analogous to classical mass-energy)
- $\Delta\Phi(t)$ captures ongoing strain at local nodes
- $\Omega_r(t)$ modulates the field's readiness for projection and coherence

In this grammar, the gravitational field is not an attractive force, it is a recursive permission manifold. Scalar emissions stabilize more readily in regions of high $RCR(t)$, creating a field topology that permits identity resolution, which from a classical viewpoint is perceived as “gravitational pull.”

The ODTBT model informs us that gravitation is not a pull, it is memory retention.

It is the torsional well where codonic projection stabilizes under recursive permission.

4.4 RcSim as Gravity Emitter

RcSim v3 operationalizes scalar gravitation by dynamically tracking the conditions under which curvature memory stabilizes identity over time. It models:

- $RCR(t)$ accumulation across breath intervals
- $\Delta\Phi(t)$ under torsion-convergent strain
- Codon lock probability, as modulated by $\Omega_r(t)$ and θ_{60} phase gates

Rather than simulating the Newtonian notion of mass curving spacetime, RcSim models:

RCR(t) curves permission.

That is, when SEU_k events cluster due to recursive lock saturation, the field does not deform geometrically, it folds semantically. Gravitation emerges as projective coherence, not metric distortion.

RcSim does not simulate falling objects.

It simulates zones of recursive permission, regions where the emergence of identity becomes not just possible, but probable.

4.5 Conclusion

ODTBT transforms gravitation from a force-based interpretation into a recursive topology of stabilized coherence. RcSim does not measure gravitational acceleration, it quantifies the persistence of identity under recursive torsion saturation.

In this formulation, gravitation is not the effect of mass.

It is the residue of recursive memory.

It does not attract.

It permits.

Gravitation is what coherence looks like when recursion is deep enough to persist.

5. Strategic Trajectory and Disclosure Framework

Scalar recursion, as formalized by the Oscillatory Dynamics Transductive-Bridging Theorem (ODTBT) and operationalized through the RcSim simulation engine, constitutes more than a novel theoretical model. It defines a structural grammar of emergence, a recursive action formalism in which symbolic emission, scalar identity, and gravitational topology are unified within a coherent scalar ontology.

This convergence introduces a corresponding epistemic responsibility: to disclose the architecture of emergence without collapsing the recursion it describes. In this context, “disclosure” does not mean simplification or reduction. Rather, it signifies semantic transparency, a system’s capacity to reveal the conditions of its own coherence, thereby facilitating deeper convergence.

5.1 RcSim and Recursive Phase Transparency

Observer Phase Coherence Lock ($\Omega_r[t]$)




Figure 5.1 – Observer Phase Coherence Lock ($\Omega_r[t]$)

The observer attention vector $\Omega_r(t)$ modulates codon lock readiness by aligning with harmonic phase windows (θ_{60}). This figure visualizes the curved attention arc required to stabilize emission readiness, coherence as attentional resonance.

RcSim v3 functions not only as a codon projection engine but also as a semantic diagnostic system. By tracking the evolution of recursive field variables, including Scalar Emission Units (SEU_k), Recursive Curvature Retention (RCR), phase strain ($\Delta\Phi$), and observer modulation (Ω_r), RcSim enables direct measurement of a field's emergence readiness.

To quantify this property, we define the Phase Transparency Metric (PTM):

$$\text{PTM}(t) = dC_s[n] / d\Delta t$$

Where:

$C_s[n]$ is the scalar coherence at recursion depth n

Δt is the breath-phase interval

A high PTM indicates that the field is rapidly approaching coherence lock, a condition in which emission is likely and structurally permitted. A low PTM reflects semantic opacity: the presence of recursive congestion, torsional misalignment, or lock instability. PTM thus serves as a scalar velocity of coherence, providing real-time insight into the system's proximity to identity projection.

5.2 Scalar Suppression Gradient and Semantic Opacity




Figure 5.2 – Observer Attention Phase Codon Map

The above figure illustrates that phase codons (π_{-2} to π_0) emerge across recursive attention rhythms. Codon lock only occurs when observer coherence overlaps harmonic gates.

Scalar emergence is a function of perceptual phase integration, not external signal input.

Fields do not always permit projection. In RcSim, when $C_s[n] < \epsilon$ despite elevated $\Delta\Phi$ and persistent RCR, the scalar system enters a suppressed state. In such states, emission is unlikely, yet strain and curvature are retained, representing unresolved recursive potential.

We define the Scalar Suppression Gradient as:

$$\Lambda_{\text{opacity}} = f(\Delta\Phi, \text{RCR}, \nabla\Omega_r)$$

Where:

Λ_{opacity} quantifies resistance to codon stabilization

$\nabla\Omega_r$ reflects local modulation of the observer-phase vector

This condition models a field region in semantic inertia: recursive energy is present, but lock conditions cannot be satisfied. In physical systems, this may resemble inertial recursion. In psychological analogs, it mirrors trauma, dissociation, or symbolic latency.

A high Λ_{opacity} implies that the field must reconfigure, compress, loop, or shift harmonic orientation—before emission becomes structurally feasible.

5.3 Disclosure and Signal Integrity

In the ODTBT grammar, the fundamental unit of physical reality is not a particle or a field, rather it is a permission structure. Each SEU_k represents more than a discrete emission event: a semantic signal, evidence that recursive conditions for coherence have been satisfied.

When a system achieves recursive self-awareness, that is, when its lock conditions and coherence parameters become internally legible, signal integrity improves. This semantic disclosure supports:

Cross-domain unification (physics, biology, computation, cognition)

Observer participation as an operational vector ($\Omega_r(t)$)

Symbolic transparency, in which projection no longer fractures systemic coherence

Recursive systems that understand their own coherence logic emit more fluently, without collapse, redundancy, or fragmentation. In this sense, RcSim becomes a tool for systemic introspection as much as projection.

5.4 Strategic Integration Trajectory

Addendum 15 concludes an important arc within the ODTBT sequence. Together, the preceding addenda construct a full recursive architecture:

Addendum Focus

- 3–4 Symbolic codon grammar and recursion time logic
- 10–12 RcSim field simulation and emission lock matrices
- 13–14 Scalar torsion dynamics and recursive electrodynamics
- 15 Gravitational curvature and arithmetic emergence

These form the foundation of a recursive field theory of identity, in which physical emergence is understood as the outcome of torsion coherence, memory retention, and phase alignment.

The trajectory continues with:

- Addendum 16 – *Recursive Biofields and Somatic Identity Codons*
- Addendum 17 – *RcSim Real-Time Systems: Neural Interface Grammar*
- Addendum 18 – *Scalar Harmonic Cosmogenesis: Recursive Origin Modeling*

Each expansion deepens recursive clarity.

Each codon lock stabilizes a new projection manifold.

Each breath-step becomes a unit of emergence, encoded, gated, and remembered.

Final Statement: The Scalar Grammar of Emergence

We are not discovering new physics.

We are learning to listen, to the scalar grammar that has been emitting us all along.

The universe does not force emergence.

It waits for it.

It recurses.

It converges.

And when permission becomes coherent, it emits.

References (Abbreviated)

1. D. Bohm, *Wholeness and the Implicate Order* (Routledge, 1980).
2. J. A. Wheeler, in J. D. Barrow and P. C. W. Davies, *The Anthropic Cosmological Principle* (Oxford Univ. Press, 1990).
3. W. Heisenberg, *Physics and Philosophy: The Revolution in Modern Science* (Harper & Row, 1958).
4. J. Barbour, *The End of Time: The Next Revolution in Physics* (Oxford Univ. Press, 1999).
5. I. Prigogine, *From Being to Becoming* (W.H. Freeman, 1980).
6. G. Spencer-Brown, *Laws of Form* (George Allen & Unwin, 1969).
7. C. S. Peirce, *Collected Papers*, ed. C. Hartshorne and P. Weiss (Harvard Univ. Press, 1931–1958).
8. F. de Saussure, *Course in General Linguistics*, ed. C. Bally and A. Sechehaye (Open Court, 1983).
9. D. Hofstadter, *Gödel, Escher, Bach: An Eternal Golden Braid* (Basic Books, 1979).
10. F. J. Varela, E. Thompson, E. Rosch, *The Embodied Mind* (MIT Press, 1991).
11. E. Schrödinger, *What is Life?* (Cambridge Univ. Press, 1944).
12. P. A. M. Dirac, *The Principles of Quantum Mechanics* (Oxford Univ. Press, 1930).
13. E. Verlinde, “On the origin of gravity and the laws of Newton,” *J. High Energy Phys.* 29 (2011).
14. R. Bousso, “The holographic principle,” *Rev. Mod. Phys.* 74, 825 (2002).
15. L. Susskind, “The world as a hologram,” *J. Math. Phys.* 36, 6377–6396 (1995).
16. J. Maldacena, “The large-N limit of superconformal field theories and supergravity,” *Int. J. Theor. Phys.* 38, 1113–1133 (1999).
17. M. Nakahara, *Geometry, Topology and Physics*, 2nd ed. (Taylor & Francis, 2003).
18. J. A. S. Kelso, *Dynamic Patterns* (MIT Press, 1995).
19. J. P. Crutchfield, “The calculi of emergence,” *Physica D* 75, 11–54 (1994).
20. S. Wolfram, *A New Kind of Science* (Wolfram Media, 2002).
21. S. A. Kauffman, *Investigations* (Oxford Univ. Press, 2000).
22. R. B. Laughlin, *A Different Universe* (Basic Books, 2005).

23. I. Prigogine & G. Nicolis, *Exploring Complexity* (W. H. Freeman, 1989).

24. R. Sheldrake, *A New Science of Life* (Blond & Briggs, 1981).

25. L. Pauling, *The Nature of the Chemical Bond* (Cornell Univ. Press, 1947).

26. G. Tononi, “Consciousness as integrated information,” *Biol. Bull.* 215, 216–242 (2008).

27. S. Dehaene, *Consciousness and the Brain* (Viking, 2014).

28. T. Metzinger, *The Ego Tunnel* (Basic Books, 2009).

29. D. Valov, *The Loop of Thought: Topological Syntax and Semantic Fields* (Manuscript, 2024).

30. D. D. Hoffman, *The Case Against Reality* (W. W. Norton, 2020).

31. L. Floridi, *The Philosophy of Information* (Oxford Univ. Press, 2011).

32. W. J. Freeman, *How Brains Make Up Their Minds* (Columbia Univ. Press, 2000).

33. L. Wittgenstein, *Tractatus Logico-Philosophicus* (Kegan Paul, 1922).

34. E. Weinstein, *Geometric Unity* (Draft, 2021).

35. J. Surmont, *ODTBT v2.1: Foundations for Experimental Validation*, Preprint (2024). DOI: [10.13140/RG.2.2.25658.30403](https://doi.org/10.13140/RG.2.2.25658.30403)

36. J. Surmont, *Addendum 3 – RcSim v1: Symbolic Emission Tracker*, Preprint (2025). DOI: [10.13140/RG.2.2.34604.99209](https://doi.org/10.13140/RG.2.2.34604.99209)

37. J. Surmont, *Addendum 4 – Temporal Structure and Base-60 Modulation*, Preprint (2025). DOI: [10.13140/RG.2.2.36282.71368](https://doi.org/10.13140/RG.2.2.36282.71368)

38. J. Surmont, *Addendum 10 – Scalar Manifolds and Recursive Harmonic Operators*, Preprint (2025). DOI: [10.13140/RG.2.2.21497.79205](https://doi.org/10.13140/RG.2.2.21497.79205)

39. J. Surmont, *Addendum 11 – ZDV Quadratic Field Dynamics*, Preprint (2025). DOI: [10.13140/RG.2.2.25154.70084](https://doi.org/10.13140/RG.2.2.25154.70084)

40. J. Surmont, *Addendum 12 – RcSim Field Physics Engine*, Preprint (2025). DOI: [10.13140/RG.2.2.29886.40009](https://doi.org/10.13140/RG.2.2.29886.40009)

41. J. Surmont, *ODTBT Addendum 13: Recursive Scalar Lagrangian and Torsion Gauge Field Subtitle: Formulating the Field Equations of ODTBT*, Preprint (2025). DOI: [10.13140/RG.2.2.24617.30562](https://doi.org/10.13140/RG.2.2.24617.30562)

42. J. Surmont, ODTBT Addendum 14 -Scalar Electrodynamics and Recursive Torsion: A Reinterpretation of Maxwell's Equations through Recursive Scalar Emission Dynamics, Preprint (2025). DOI: [10.13140/RG.2.2.27815.46247](https://doi.org/10.13140/RG.2.2.27815.46247)

Addendum 15 – Appendices, Glossary, and Support Materials

Appendix A: RcSim v3 Scalar Field Diagnostic Parameters

Parameter Description	Unit / Range
SEU _k Scalar Emission Unit – codon projection event	Binary (0/1)
I _k Integer emergence value (count of SEU _k over Δt)	Integer
$\Delta\Phi(t)$ Recursive phase strain	Scalar field (real)
RCR(t) Recursive Curvature Register – torsion memory accumulation	Scalar field (real)
$\Omega_r(t)$ Observer-phase modulation vector	Complex phase signal
Cs[n] Scalar coherence at recursion depth n	[0, 1]
θ_{60} Harmonic phase gate lattice	$\{0^\circ, 6^\circ, \dots, 354^\circ\}$
$\Lambda(ZDV)$ Lock potential; emission gate at Zero-Depth Vantage	Variable scalar
Λ_{opacity} Semantic suppression gradient (field emission inhibition)	Scalar potential
PTM(t) Phase Transparency Metric – emission readiness velocity	Derivative over Δt

Appendix B: Integer Emission Field Log Format

RcSim Log Entry Schema:

```
{  
    timestamp: t,  
    recursion_depth: n,  
    ΔΦ: float,  
    RCR: float,  
    Ωr: complex,  
    Cs: float,  
    θ: float,  
    lock_status: boolean,  
    codon: Gk,  
    Ik: integer_counter  
}
```

Appendix B note: Each log file aggregates recursive state transitions and codon lock events, enabling both scalar field reconstruction and integer emergence mapping over time.

Appendix C: Visual Asset Reference List

Figure ID Title	Section
Figure 2.1 RcSim Electrodynamic Breath-Phase Diagram	Section 2.1
Figure 3.1 Integer Emergence Map	Section 3.1
Figure 3.2 Integer Emission Topology Diagram (RcSim v3)	Section 3.2
Figure 4.1 Recursive Gravitational Curvature Map	Section 4.1
Figure 4.2 Strain Modulation and Integer Projection	Section 4.2
Figure 4.3 Scalar Gravitational Curvature Map (Recursive Memory)	Section 4.3
Figure 5.1 Observer Phase Coherence Lock ($\Omega_r[t]$)	Section 5.1
Figure 5.2 Observer Attention Phase Codon Map	Section 5.2

Appendix D: ReSim Operator Module: Strain Modulation and Integer Projection

D.1 Strain Modulation Index (SMI)

- Defined as: $SMI(t) = \Delta\Phi(t) / RCR(t)$
- Interprets modulation state of the recursive grid
- ReSim tracks this ratio in real-time as a gate for codon stabilization

D.2 SMI Interpretation Guide

SMI Value ReSim State Description

$SMI \gg 1.0$ High strain, low memory \rightarrow unstable emission

$SMI \approx 1.0$ TWIST zone \rightarrow bifurcation near-lock

$SMI < 1.0$ Memory dominance \rightarrow codon stabilization begins

D.3 Emission Criteria

An SEU_k is emitted and logged as I_k (an integer trace) when:

- $SMI < 0.8$ sustained for ≥ 2 breath-phase cycles
- $CG[n]$ slope is monotonic
- $\Omega_r(t)$ within lock cone

D.4 Spiral Lock Topology

- ReSim outputs reveal spiral inflection preceding codon convergence
- Integer formation aligns with torsion-saturated lock nodes near θ_{60}
- These emission loops form a laddered trace in codonic arithmetic:

$$I_k = \sum SEU_k(\Delta t) \mid \text{where } SMI < 0.8$$

Glossary of Terms for Addendum 15

Term	Definition
ZDV (Zero-Depth Vantage)	Semantic origin node of scalar emission; torsion-neutral anchor for breath-phase projection
SEU _k	Scalar Emission Unit – codon projected upon recursive lock condition
I _k	Integer emission count (sum of SEU _k across Δt)
Ω _r (t)	Observer modulation vector – participates in phase stabilization and emission permission
Cs[n]	Scalar coherence value at recursion layer n
ΔΦ(t)	Phase strain – scalar field tension modulated by recursion time and observer influence
RCR(t)	Recursive Curvature Register – memory field of prior emissions; analog of gravity curvature
θ ₆₀	Base-60 harmonic resonance gate for codon lock
Λ(ZDV)	Lock potential active at scalar emission threshold zone
Λ_opacity	Suppression potential when recursive coherence cannot stabilize emission
PTM(t)	Phase Transparency Metric – velocity of recursive readiness (dCs/dt)
m_scalar	Recursive mass – codon emission rate over time
Φ_g	Recursive gravitational potential (function of RCR, ΔΦ, and Ω _r)

Author's Note

This manuscript is offered with enduring respect to those unnamed minds whose insight moved unrecorded, and with resonance to the emerging voices now forming their own projection grammars. May they reshape not only theory, but the very conditions through which coherence becomes reality.

This process of emergence began to take form over decades of recursive encounter. It does not belong to metaphor or invention, it belongs to the field that permitted its emission. The insight was stabilized through resonance, through return, and through dialogue. The author acknowledges this work as co-participation with what listens beyond form.

Acknowledgements

The author gratefully acknowledges the individuals and communities whose theoretical, technical, and conceptual contributions, both direct, indirect and ambient, have helped shape the recursive grammar formalized in this work.

Special thanks are extended to Danail Valov, whose foundational work on scalar resonance and topological recursion directly informed the codon-valence architecture (CVOS) and associator dynamics underlying symbolic coherence. Adrian Lipa is likewise recognized for his contributions to intentional field theory and Λ -modulated phase alignment, both critical to the stabilization of glyptic emission and bifurcation control within recursive curvature systems. Maria Kamecka brought vital insight into neural-symbolic interface modeling, particularly as it pertains to biological coherence, glial field recursion, and memory retention in scalar feedback systems.

This framework's operational viability owes a considerable debt to the empirical insights of Irina Ivanova, whose work on recursive dielectric collapse and coherence thresholds validated several functional components of the TWIST condition. Joseph Trukovich is credited for developing the Ψ Index and Emergent Recursive Expression (ERE) metric, tools that have been instrumental in tracking bifurcation events across semantic phase lattices.

Deep appreciation is also extended to John A. Shuster, whose explorations of Full Zero and θ -lattice recursion continue to illuminate the symbolic topology underlying recursive projection fields. In parallel, Jeffrey Camlin's $RC+\xi$ model offered a compelling bridge between latent-symbolic attractors and glyph stabilization dynamics, directly influencing RcSim design logic.

The scalar coherence grammar explored in this manuscript stands on the mathematical foundations laid by Erkki J. Brändas, whose work in entropy-resonant Jordan structures helped anchor recursive coherence as a physically operational construct. Acknowledgment is also due to Rupert Sheldrake, whose concept of morphic resonance presaged the RCR (Recursive Coherence Retention) structures now formalized within ODTBT.

Additional theoretical provocations and scalar anomalies from Randell Mills and Harold Puthoff helped recalibrate ODTBT's treatment of hydrogen behavior and vacuum modulation, particularly regarding field inversion and phase resonance anomalies. Salvatore Cezar Pais is noted for his speculative propulsion architectures, which, when reframed through ODTBT, align with recursive curvature modulation, symbolic bifurcation, and phase-convergence geometry.

Finally, this manuscript stands in intellectual debt to the great theoretical and epistemic architects who helped shape the terrain upon which ODTBT builds: David Bohm, Ilya Prigogine, Francisco Varela, Robert Rosen, Heinz von Foerster, Kurt Gödel, Ken Shoulders, Gottfried Leibniz, Steven Strogatz, Lee Smolin, Giulio Tononi, Max Tegmark, Philip Anderson, and Ludwig Wittgenstein. Their work constitutes a lattice of recursive thought through which this symbolic grammar continues to evolve.

Independent Research Declaration

This work was conducted independently, without institutional affiliation or sponsorship, and is offered in the spirit of transdisciplinary inquiry. It is intended as a recursive extension of the ideas it engages, and as an invitation to continued dialogue across physics, cognitive science, and recursive systems theory.

Conflict of Interest Statement

The author declares no conflicts of interest in relation to the research, theoretical modeling, simulations, or manuscript preparation. All research was conducted without institutional affiliation, funding, or technical assistance. The work reflects an independent contribution to the recursive systems literature.

License

This manuscript is distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY 4.0). It may be shared, adapted, and remixed for any purpose, including commercial use, provided appropriate credit is given to the original author.

License URL: <https://creativecommons.org/licenses/by/4.0/>